



Relay Control Panel
RCP 4000 v2.7a Rev 1
Release Description

DESCRIPTION

This release corrects an issue where the Relay Control Panel software was always installed in the default location even if a different folder location was selected. Only the installer is affected by this release and the actual software is unchanged.

Version v2.7a Rev 1 of Relay Control Panel is provided with RecordGraph v4.8a.

FEATURE ENHANCEMENTS

- None

CORRECTIONS TO ISSUES

- **Minor:** Corrected issue where the software was installed to the default folder even if a different folder was entered by the user.

ERLPhase Power Technologies Customer Support Contact Information

support@erlphase.com

+1 (204) 477-0591 Option 1

www.erlphase.com



COMPATIBILITY:

Compatible with L-PRO 4000 Offliner	v2.0 or above
Compatible with L-PRO 4000 Firmware	v2.0 or above
Compatible with S-PRO 4000 Offliner	v1.0 or above
Compatible with S-PRO 4000 Firmware	v1.0 or above
Compatible with S-PRO 4001 Firmware	v1.0 or above
Compatible with B-PRO 4000 Offliner	v2.0 or above
Compatible with B-PRO 4000 Firmware	v2.0 or above
Compatible with T-PRO 4000 Offliner	v1.0 or above
Compatible with T-PRO 4000 Firmware	v1.0 or above
Compatible with F-PRO 4000 Offliner	v1.0 or above
Compatible with F-PRO 2000 Offliner	v1.0 or above
Compatible with F-PRO 4000 Firmware	v1.0 or above
Compatible with F-PRO 215 Firmware	v1.0 or above
Compatible with F-PRO 235 Firmware	v1.0 or above
Compatible with Microsoft Windows	Windows XP Professional Service Pack 3, Windows 7 Professional

Minor releases, designated with a letter suffix (e.g. v3.1a), maintain the same compatibility as their base version (e.g. v3.1=v3.1a).

ERLPhase Power Technologies Customer Support Contact Information

support@erlphase.com

+1 (204) 477-0591 Option 1

www.erlphase.com



REVISION HISTORY

v2.7a – 2016-01-04

- **Enhancement:** Enhanced setting file error checking before sending to the unit.
- **Enhancement:** Enhanced user interface for transferring setting file to the unit.

v2.7 – 2015-06-26

- **Enhancement:** Add support for S-PRO 4001 v2.0 Firmware enhancements:
 - Add sub-harmonic metering
 - Replace operations per minute with operations per duration
 - Add running counter of operations for sub-harmonic operations
 - Add fault log
 - Add service-level sub-harmonic detector Pickup Counters setting

v2.6 – 2015-04-17

- **Enhancement:** Support added for S-PRO 4001.
- **Enhancement:** Support added for F-PRO 215.
- **Enhancement:** Support added for F-PRO 235.
- **Enhancement:** Increased analog metering range maximum to 999999.999.

ERLPhase Power Technologies Customer Support Contact Information

support@erlphase.com

+1 (204) 477-0591 Option 1

www.erlphase.com



CLASSIFICATION OF CHANGES MADE

The issues fixed in software / firmware upgrades are classified as defined below. While the decision to upgrade installed products is the user's, these classifications provide a guideline for the need and priority of the upgrade.

Critical: Critical changes fix issues/problems that prevent the basic operation of the device and have no workaround. Critical changes merit a product upgrade as soon as possible, if that function is being used under the conditions causing the issue

Major: Major changes fix problems that prevent the basic operation of the device but do have a workaround. Any major changes merit a product upgrade as soon as possible if the function is being used under the conditions causing the issue and a workaround is not acceptable.

Minor: Minor changes fix non vital issues that do not prevent the basic operation of the device and may or may not have a workaround. Product upgrades for such changes are not necessary unless they apply to and are needed by the user.

Feature Enhancement: Feature enhancements add a capability or extend existing capabilities of the product. Upgrades for such changes need be made only if and when that feature enhancement is desired.

ERLPhase Power Technologies Customer Support Contact Information

support@erlphase.com

+1 (204) 477-0591 Option 1

www.erlphase.com